



# JOTUN

## STRAX MATT

*Smooth Interior Finish*



Jotun Paints

### Disclaimer

We have made every effort to make the colours on screen as close to actual paint colours as computer screen resolutions allow. Please refer to paint chip samples for an accurate match. Colours will vary depending on your screen settings and resolution. Applied sample is recommended when colour matching is critical.

# STRAX MATT

## Smooth Interior Finish



**STRAX MATT** is a water-based interior emulsion paint based on modified acrylic binder. It possesses excellent flow and gives a durable smooth interior finish to your home.

#### Direction For Use :

**Surface** : Dry and clean, free from grease or wax, flake, chalk and dirt

**Best Results** : 1 coat Jotasealer 03 or Cito Primer 09, followed by 2 coats **STRAX MATT**

**Application** : Brush, roller or spray gun

**Thinning** : Dilution is not necessary. If required, dilute with water (maximum 5%).

**Coverage** : Approx. 8-9 sq metres per litre coat

**Drying Time** : 30 minutes

**Recoating** : Minimum 2 hours

**Cleaning Up** : Clean brushes and tools in water immediately after use

**STRAX MATT** adalah cat emulsi dalaman berasaskan air yang dihasilkan dengan pengikat akrilik yang diubahsuai. Ia memberikan sapuan yang rata serta menghasilkan kemasan dalaman yang licin dan tahan lama untuk kediaman anda.

#### Arahan Penggunaan :

**Permukaan Yang Hendak Dicat** : Kering dan bersih, bebas daripada gris atau lilin, tidak berkelupas, berkapur dan berhabuk

**Hasil Yang Terbaik** : 1 lapisan Jotasealer 03 atau Cito Primer 09, diikuti dengan 2 lapisan **STRAX MATT**

**Peralatan** : Berus, penggelek atau penyembur

**Pencairan** : Tidak perlu mencairkan cat. Jika perlu, cairkan dengan menggunakan air (maksimum 5%).

**Liputan** : Kira-kira 8-9 meter persegi setiap liter lapisan

**Tempoh Kering** : 30 minit

**Lapisan Kedua** : Minima 2 jam

**Pembersihan** : Cuci semua berus dan peralatan dengan air sebaik sahaja selesai menggunakannya.

**STRAX MATT** 是一种改良性丙烯酸内墙乳胶漆。具有优异的流平性，提供室内墙面平滑的效果。

#### 用法说明：

**表面处理** : 必须干燥和清洁、无油脂或蜡、松散物质、粉化和污垢

**最好效果** : 一層 Jotasealer 03 或 Cito Primer 09，接著再塗刷二層 **STRAX MATT**

**施工方法** : 漆刷、滾軸或噴射器髹塗

**稀釋** : 無須稀釋，如果需要稀釋，最多可加 5% 的水稀釋

**理論塗布率** : 每公升漆料可塗刷大約 8-9 平方米

**干燥時間** : 30 分鐘

**最短覆塗間隔** : 最少要等 2 小時

**清洗** : 在塗刷後，須立刻用清水沖洗刷子及其他工具

Dealer's Stamp:

### JOTUN PRODUCT RANGE

#### EXTERIOR CONCRETE/ MASONRY SURFACE/ROOFING



**JOTASHIELD SILICONE EMULSION**  
**JOTASHIELD FLEX**  
 Superior Exterior Protection  
**JOTASHIELD**  
 Superior Exterior Protection  
**JOTAROF**  
 Weather, Fungus & Algae Protection For The Roof  
**DURATHANE AS**  
 Two-pack Polyurethane Coating  
**PIONEER 200**  
 Synthetic Hi-Performance Exterior Finish

#### INTERIOR CONCRETE/ MASONRY SURFACE



**MAJESTIC OPTIMA**  
 Premium All-in-One  
**MAJESTIC PEARL SILK**  
 Pearl Sheen Finish  
**MAJESTIC MATT**  
 Classic Matt Finish  
**STRAX**  
 Premium Interior Matt Finish  
**STRAX MATT**  
 Smooth Interior Finish  
**JOTAPLAST MAX**  
 Acrylic Emulsion Paint

#### INTERIOR & EXTERIOR WOOD & METALWORKS



**GARDEX**  
 Premium Gloss Enamel Paint  
**WOODSHIELD**  
 Premium Wood Protection

#### INTERIOR WALLCOVERING



**JOTAFIBRE**  
 Fibreglass Wall Covering

#### FLOOR COATING

**JOTAFLOOR RAPID DRY**  
 Single Component, Fast Drying Floor Coating

#### SEALERS & PRIMERS



**CITO PRIMER 09**  
 PLIOLITE<sup>®</sup> solvent based Alkali Resisting Wall Primer

**JOTASHIELD PRIMER 07**  
 Acrylic Water-based Alkali Resisting Wall Sealer

**JOTASEALER 03**  
 Modified Acrylic Water-based Alkali Resisting Wall Sealer

**GARDEX UNDERCOAT**  
 Premium Alkyd Undercoat

**JOTA-ETCH**  
 Etching Primer for Galvanized Steel

**PILOT PRIMER**  
 Alkyd Based Rust Preventing Primer

### JOTUN IN ASIA PACIFIC

[www.jotun.com/ap](http://www.jotun.com/ap)



#### MALAYSIA

**JOTUN (MALAYSIA) SDN. BHD.** (16434-U)  
 Lot 7, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam, Selangor, Malaysia.  
 Tel: +603 5123 5500



#### SINGAPORE

**JOTUN (SINGAPORE) PTE. LTD.**  
 11-15, Sixth Lok Yang Road, Jurong, Singapore 628111.  
 Tel: +65 6265 4711



#### CHINA

**JOTUN COATINGS (ZHANGJIAGANG) CO. LTD.**  
 Floor 20, Jiu Shi Mansions, No. 28, Zhong Shan Road (South), Shanghai, China.  
 Tel: +86 21 63330800



#### THAILAND

**JOTUN THAILAND LTD.**  
 49/26, Moo 12, Kingkaew Road, Rajataewa Bangplee, Samutprakarn 10540, Thailand.  
 Tel: +66 2750 3355



#### INDONESIA

**PT. JOTUN INDONESIA**  
 Kawasan Industri MM 2100, Blok KK-1 Cikarang Barat, Bekasi 17520, Indonesia.  
 Tel: +62 21 8998 2657



#### VIETNAM

**JOTUN PAINTS (VIETNAM) CO. LTD.**  
 15th Floor, Unit 1509-1511, Saigon Trade Center, 37, Ton Duc Thang Street, District 1, Ho Chi Minh City, Vietnam.  
 Tel: +84 89141498

Please contact your local Jotun office for product specifications and availability.



# STRAX MATT

Smooth Interior Finish

Kemasan Rata Dalam

平滑的室內效果



## Pleasant Pastels / Pesona Pastel / 舒適淡色



Morning Fog

9918



Apple White

8190



Fresh Mint

6023



Light Cyan

5199



Flora White

3208



Musk

4447



Cornsilk

1356



Jasmine White

0512

### PAINTING TIP

Highly porous & alkalic surfaces should be primed with JOTASEALER 03 prior to painting. Old chalky surfaces should be sanded down & primed. Minor hairline cracks should be made good with a filler.

### PETUA MENGECAT

Permukaan yang bersifat amat porous & beralkali hendaklah disalut dengan cat asas JOTASEALER 03 sebelum mengecat. Permukaan lama yang berkapur hendaklah diampelas dengan kertas pasir & disalut dengan cat asas. Rekanan garis halus hendaklah dibetulkan dengan menggunakan likatan.

### 油漆小貼士

多孔易滲水和鹼含量高的表面必須在髹漆前，先以 JOTASEALER 03 打底。呈粉狀的殘舊表面也須先以砂紙磨滑，再上底漆。細小裂縫必需使用填料把它填補完美。



Also available in Strax Matt : Black - 099 and White - 000.


Juga terdapat dalam Strax Matt : Hitam - 099 dan Putih - 000.

Strax Matt 也備有：黑色 - 099 以及白色 - 000.

\* All colours reproduced are shown as close to actual paint colours as modern printing techniques allow. Where colour matching is critical, an applied sample is recommended.

Semua warna yang dihasilkan semula adalah sehampir mungkin dengan warna cat sebenar walaupun ianya dihasilkan dengan teknik percetakan moden. Dalam situasi di mana padanan warna amat kritikal, anda disyorkan agar merujuk kepada sampel cat sebenar.

所示色彩是現代印刷技術所能達致的最接近實際的顏色。實際顏色以塗刷樣本為準。



Daisy 1344



Wild Dahlia 1867



Wheat 1019



Milkshake 1776



Mango 1785



Sunset 1508



Desert Sand 1037



Lys Jord 1393



Cappuccino 1303



Choco Brown 1441



Tropical Brown 2145



# JOTUN



Pink Lady

3147



Reflection

4446



Arctic Blue

4445



Soft Lilac

4448




Platinum

9911



Blue Lagoon

4164



Fresh Violet

4382



Milk Avocado

8285



Olive

8284



Bricks

2193



Lemon Chiffon

8286



Lawngreen

7148



Tomato

3203



Forest Green

7121



**STRAX MATT** is a water-based interior emulsion paint based on modified acrylic binder. It decorates and protects all interior surfaces including gypsum board, plaster, concrete and masonry. It possesses excellent flow, hides uneven wall surfaces and gives a durable, smooth interior finish.

**STRAX MATT** adalah cat emulsi dalaman dengan asas air yang berasaskan pengikat akrilik yang diubahsuai. Ia menghiasi dan melindungi semua permukaan dalaman termasuklah kepingan gipsum, plaster, konkrit dan kepingan batu. Ia memiliki aliran yang sangat baik, menyembunyikan permukaan dinding yang tidak rata, menampilkan kemasan dalaman yang licin serta tahan lama.

**STRAX MATT** 是一种改良性丙烯酸内墙乳胶漆。它修饰和保护所有室内表面如石膏板，水泥，混凝土及砌块墙壁。具有优异的流平性，遮掩不平的墙面，提供平滑的室内效果。



#### Easy Clean

- No stains, no stress!

#### Mudah Dicuci

- Tiada kotoran, tiada kerisauan!

#### 容易清洗

- 無污跡，無壓力！



#### Washable

- more than 2,000 scrub cycles (Intensive Wet Scrub Tested)

#### Boleh Dibasuh

- lebih daripada 2,000 kali sentalan (Ujian Sentalan Basah Intensif)

#### 可清洗

- 超過 2,000 次擦洗 (深入的耐擦洗測試)



#### Long Lasting

- Modified Acrylic for better water and alkali resistance resulting in longer lasting paint

#### Tahan Lama

- Akrilik yang diubahsuai untuk ketahanan air dan alkali lebih baik menghasilkan cat yang tahan lebih lama

#### 持久耐用

- 改良性丙烯酸提供更好的防水防鹼功能



#### Environmental friendly

- 100% Lead and Mercury Free

#### Mesra Alam

- 100% Bebas Plumbum dan Raksa

#### 健康環保

- 100% 不含鉛和汞



#### Multicolor Tintable

- over 1,000 colours possible

#### Rona Pelbagai Warna

- lebih 1,000 warna boleh didapati

#### 色彩丰富

- 超過 1,000 种颜色